

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5778182".pn.	US-PGPUB; USPAT	OR	OFF	2004/06/16 13:43
S2	208	725/9,14,16,21,46,58,61.ccls. and @ay<"1996"	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:29
S3	24	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((collect\$3 monitor\$3) near8 (viewer\$2 user\$2 subscriber\$2) near8 (habit\$1 usage activit\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/16 15:12
S4	12	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((collect\$3 monitor\$3) near8 (viewer\$2 user\$2 subscriber\$2) near8 (command\$2 operation\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/16 15:16
S5	20	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((record\$3) near8 (viewer\$2 user\$2 subscriber\$2) near8 (command\$2 operation\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:39
S6	28	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and (event\$1 near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/16 16:55
S7	35	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/16 16:58
S8	9	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((user\$2 viewer\$2) near10 (event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:20
S9	31	"725"/\$.ccls. and @ay<"1996" and ((user\$2 viewer\$2) near10 (event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:39
S10	1	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((usage\$1) near10 (event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 11:56
S11	3	"725"/\$.ccls. and @ay<"1996" and ((usage\$1) near10 (event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:24
S12	101	@ay<"1996" and ((usage\$1) near10 (event\$1 activit\$3) near10 (log\$4 record\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:25

S13	55	@ay<"1996" and ((usage\$1 near10 (event\$1 activit\$3) near10 (log\$4 record\$3)) and (CATV television STB terminal client)	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:25
S14	2	("5289271" "5659350").PN.	USPAT	OR	OFF	2004/06/17 09:37
S15	1	("5289271" "5659350").PN. and (usage\$1 activit\$3) near10 (log\$3 event\$1 record\$3)	USPAT	OR	OFF	2004/06/17 09:32
S16	0	"725"/\$.ccls. and schien.in.	USPAT	OR	OFF	2004/06/17 09:37
S17	96	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((record\$3 monitor\$3) near8 (command\$2 operation\$2 button))	US-PGPUB; USPAT	OR	OFF	2005/05/26 10:56
S18	115	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((record\$3 monitor\$3) near8 (command\$2 operation\$2 button\$2 key\$2 application\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 09:56
S19	96	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((log\$4 monitor\$3) near8 (command\$2 operation\$2 button\$2 key\$2 application\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:23
S20	61	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((log\$4) near8 (command\$2 operation\$2 button\$2 key\$2 application\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:24
S21	35	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((log\$4) near8 (command\$2 activit\$3 button\$2 key\$2 application\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:35
S22	213	"725"/\$.ccls. and @ay<"1996" and ((log\$4) near8 (command\$2 activit\$3 button\$2 key\$2 application\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:47
S23	0	"725"/\$.ccls. and @ay<"1996" and ((log\$4) near5 (STB\$1 terminal\$2 client\$1) near5 (activit\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:48
S24	9	"725"/\$.ccls. and @ay<"1996" and ((log\$4 monitor\$3) near5 (STB\$1 terminal\$2 client\$1) near5 (activit\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 10:49
S25	34	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and (code\$1 identifer\$1) near8 (command\$1 function\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:04
S26	65	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and (code\$1 identifer\$1) near8 (channel\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:03

S27	0	"725"/\$.ccls. and @ay<"1996" and (identifer\$1) near8 (command\$1 function\$1 operation\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:05
S28	0	"725"/\$.ccls. and @ay<"1996" and (identifer\$1) near8 (command\$1 function\$1)	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:08
S29	11	"725"/\$.ccls. and @ay<"1996" and ((code\$1 identifer\$1) near5 (channel\$1) near5 (up down change))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:24
S30	60	"725"/\$.ccls. and @ay<"1996" and ((command\$3) near5 (channel\$1) near5 (up down change))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:30
S31	0	"725"/\$.ccls. and @ay<"1996" and ((log\$4) near8 ((command\$3) near5 (channel\$1) near5 (up down change)))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:31
S32	0	"725"/\$.ccls. and @ay<"1996" and ((log\$4) with ((command\$3) near5 (channel\$1) near5 (up down change)))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:31
S33	5	"725"/\$.ccls. and @ay<"1996" and ((log\$4) same ((command\$3) near5 (channel\$1) near5 (up down change)))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:31
S34	6	"725"/\$.ccls. and @ay<"1996" and ((log\$4 monitor\$3) near8 ((command\$3) near5 (channel\$1) near5 (up down change)))	US-PGPUB; USPAT	OR	OFF	2004/06/17 12:31
S35	0	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and (filter\$3) near8 (statistic\$3)	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:29
S36	3	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((filter\$3) near10 (event\$2))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:49
S37	0	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((filter\$3) near10 (viewer\$1 user\$1) near10 (pattern\$1 statistic\$1 histor\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:38
S38	3	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((filter\$3) near10 (pattern\$1 statistic\$1 histor\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:38
S39	86	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and (filter\$3)	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:41
S40	3	725/9,14,16,21,46,58,61.ccls. and @ay<"1996" and ((filter\$3) near10 (categor\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:44

S41	6	"725"/\$.ccls. and @ay<"1996" and ((filter\$3) near10 (categor\$3))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:44
S42	2	"725"/\$.ccls. and @ay<"1996" and ((program\$4) near5 (view\$3 watch\$3) near5 percent\$4)	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:52
S43	0	"725"/\$.ccls. and @ay<"1996" and (filter\$4 same ((program\$4) near5 (view\$3 watch\$3) near5 percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:52
S44	0	"725"/\$.ccls. and @ay<"1996" and (filter\$4 same ((program\$4) near5 percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:54
S45	1	"725"/\$.ccls. and @ay<"1996" and (filter\$4 same ((program\$4) same percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:54
S46	0	"725"/\$.ccls. and @ay<"1996" and (filter\$4 same ((program\$4) same (view\$4 watch\$4) same percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:54
S47	0	"725"/\$.ccls. and @ay<"1996" and (filter\$4 same ((program\$4 movie\$1 show\$1) same (view\$4 watch\$4) same percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:55
S48	2	"725"/\$.ccls. and @ay<"1996" and (((program\$4 movie\$1 show\$1) near5 (view\$4 watch\$4) near5 percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:56
S49	4	"725"/\$.ccls. and @ay<"1996" and (((program\$4 movie\$1 show\$1) near10 (view\$4 watch\$4) near10 percent\$4))	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:57
S50	1	"5619247".pn.	US-PGPUB; USPAT	OR	OFF	2005/05/20 09:39
S51	1543	"725"/\$.ccls. and @ay<"1995"	US-PGPUB; USPAT	OR	OFF	2005/05/25 14:57
S52	1035	"725"/\$.ccls. and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/25 14:58
S53	131	"725"/\$.ccls. and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (monitor\$1 stores storing record\$4) with (command\$1 input\$1 entr\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:00

S54	44	"725"/\$.ccls. and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (command\$1 input\$1 entr\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:12
S55	6	"725"/\$.ccls. and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (activit\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:16
S56	26	@ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (activit\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:28
S57	6	("725"/\$.ccls. "348"/\$.ccls.) and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (activit\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:22
S58	16	("725"/\$.ccls. "348"/\$.ccls.) and @ay<"1995" and (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (activit\$4)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:36
S59	37	("725"/\$.ccls. "348"/\$.ccls.) and @ay<"1995" and (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (button\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:25
S60	62	@ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (event\$1 activit\$4) with (log\$1 records)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:28
S61	7	"725"/\$.ccls. and @ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (event\$1 activit\$4) with (log\$1 records)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:29

S62	62	@ay<"1995" and (stb\$1 (set adj3 top adj3 (box\$1 terminal\$1 receiver\$1)) terminal\$1 client\$1) with (event\$1 activit\$4) with (log\$1 records)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:29
S63	103	("725"/\$.ccls. "348"/\$.ccls.) and @ay<"1995" and (monitor\$1 stores storing record\$4) with (user\$1 viewer\$1 subscriber\$1) with (action\$1 command\$1)	US-PGPUB; USPAT	OR	OFF	2005/05/25 15:36
S64	99	725/9,13,14,16,21,46,58,61.ccls. and @ay<"1996" and ((record\$3 monitor\$3) near8 (command\$2 operation\$2 button))	US-PGPUB; USPAT	OR	OFF	2005/05/26 10:55
S65	99	725/9,13,14,16,21,46,58,61.ccls. and @ay<"1996" and ((record\$3 monitor\$3) near8 (command\$2 operation\$2 button))	US-PGPUB; USPAT	OR	OFF	2005/05/26 10:56
S66	4	725/13.ccls. and @ay<"1996" and ((record\$3 monitor\$3) near8 (command\$2 operation\$2 button))	US-PGPUB; USPAT	OR	OFF	2005/05/26 10:57
S67	17	725/13.ccls. and @ay<"1996"	US-PGPUB; USPAT	OR	OFF	2005/05/26 11:00
S68	377	725/13,131,114.ccls. and @ay<"1996"	US-PGPUB; USPAT	OR	OFF	2005/05/26 11:01